Athens Institute for Education and Research
ATINER

ATINER's Conference Paper Series
ECO2016-2187

Introducing Sliding Modes in Economics

Cintia Martinez
Assistant Professor
Centro de Investigaciones en Econometria
Universidad de Buenos Aires Argentina

Eduardo Cirera
Professor
Facultad de Ingenieria
Universidad Nacional del Nordeste
Argentina

An Introduction to
ATINER's Conference Paper Series

This paper should be cited as follows:

Introducing Sliding Modes in Economics

Cintia Martinez
Assistant Professor
Centro de Investigaciones en Econometria
Universidad de Buenos Aires Argentina

Eduardo Cirera
Professor
Facultad de Ingenieria
Universidad Nacional del Nordeste
Argentina

Abstract

We propose a novel technique for modeling Economic theories (Sliding Modes or SM), but widely used as control models in Engineering. This initial experiment treats the inflation as a phenomenon to explain and control. The two main objectives of this work are: first, to contribute to mathematical Economic modelling and second, the analysis of medium-high inflation in Latin American countries, and its undesirable social consequences. Here we propose SM for testing a traditional economic theory like an augmented Phillips curve in the form of a differential equations model.

The first models of variable structure with sliding mode control were developed by Emelyanov and other authors as Utkins and Itkis in the early 1950s. Here we explain how a SM model works, its conditions and properties, in a theoretical way. The next step is to estimate values for the parameters of the system; for that, we have chosen the Chilean economy during the period 1985-2009. With the multiequational system and values of the parameters, simulations are held for controlling the variable inflation by means of money emission. The research ends with conclusions limited to the assumptions pertinent to the theory selected and the inherent simplification of this first simulation. Its selection is just a beginning, with the ambition of extending it to other hypothesis and theories testing.

Keywords: Mathematical Methods; Dynamic Programming; Sliding Modes; Macroeconomic Policy; Inflation Stabilization.

Introduction

The effects of high or medium rates of inflation on development and social welfare are well known. In general economic analysis, the main concern is about the loss of purchasing power in salaries of lower income classes and decrease of investment rate.

Inflation is a phenomenon that shows singularities depending (a) on the selected period of time and its frequency and (b) on the country under analysis. The causes of inflation and how to use monetary and economic policy for stabilizing this variable is a topic widely studied in the last century. But still remains as a big concern in Latin American countries, especially in Argentina and Venezuela. In this sense, there have been studied different points of view of inflation (monetary, income distribution, demand point of view); long and short run inflation; models with nominal rigidities, and other ones that have been proposed. In relation with the role of Central Banks in the determination of price's money level and its influence in agent's expectations, Kydland and Prescott (1977) have done a fundamental research: they emphasized the credibility of Central Bank and its ability for getting a compromise from agents to those policies. Cagan (1954) studied expectations for inflation of the agents, taking examples of hyperinflations. Barro and Gordon (1983) developed a model for intertemporal inconsistences; they argued that discretionary policies of Central Bank produce an average bias over inflation.

Fisher and Seater (1993) have done a very interesting research using a bivariate ARIMA, for testing neutrality and super neutrality hypothesis in the long run. They demonstrated that the order of integration of the variables affects the restrictions of both hypotheses. They found support for super neutrality hypothesis in United States and in the hyperinflationary Germany.

Monetary Economics studies the relation between real aggregate variables and nominal variables. Nowadays the modeling is basically classified in three types: models of representative agents, overlapped generations models and a third ad-hoc category (Walsh, 2010). The *sticky prices* models in general stochastic equilibrium are the base of new Keynesian models (which could be included in the first type).

Here we will introduce a new model that is widely known in Engineering, but it's new for Economics, at the best of our knowledge: Sliding modes (SM), which is a type of mathematical control model.

This research is related to two main concerns of Economics science: first, to contribute to the search of an empirical support for the Economic theory in general; here in particular, finding a laboratory for Economic policies design. For this aim, a monetary problem appears as proper for experimenting. Second, revisiting Monetary Theory, looking for the mechanisms of generation of inflation phenomenon and its dynamics, has to dealt with in order to find a solution for countries that still suffers is consequences.

This paper is structured as follows: in the first part, we introduce the Sliding Modes methodology. In the second part, we specify the monetary model that we will simulate. Third, the parameters of the monetary model are

estimated as a SUR multiequationanal model. And fourth, we run the simulation in SM and discuss its conclusions.

What are Sliding Modes Models?

SM are also called Models of Variable Structure. They have been widely applied, basically in those systems subject to external perturbations, because of its robustness to them and to modeling errors; also, to uncertainty or ignorance of some parameters, between other problems which are always potentially present.

These techniques had an important development since the pioneer research of Utkin (1992). After that, the works of Sira-Ramirez (1989,1996), Itkis (1976) and other ones that could not be named thoroughly. An interesting summary can be found in Liu (2012).

The advance in the last years of the use of SM in Engineering, is due to the advent of technologies that allow its application not only in simulations but in real systems. Besides, what was consider a disadvantage (the presence of chattering), now it can be diminished till tolerated levels; one of these solving technologies is the use of boundary layer.

Sliding Modes models are therefore, control models; basically, a control law, which changes very fast for conducting the trajectory of the states of the system to an arbitrary surface, specifically chosen by the researcher, maintaining the trajectory on that surface at least over an interval of time. It's also an input-output model.

For explaining the basics of this methodology, let's suppose that there is a differential equation (ODE) like the following:

$$(1) \quad a\dddot{y} + b\ddot{y} + c\dot{y} + dy = e.u$$

Where a, b, c, d and e are constants and the variables over time are $y_{(t)}$ and $u_{(t)}$. Based on (1), we define the following state variables and its derivatives:

$$x_1 = y \quad x_2 = \dot{y}; \quad x_3 = \ddot{y}; \quad U = u$$

Where x_1, x_2, x_3 and U are the state variables. The representation of the *space states* (set of variables in first derivatives) will be:

$$\dot{x}_1 = x_2$$
$$\dot{x}_2 = x_3$$
$$\dot{x}_3 = -\frac{1}{a}[dx_1 + cx_2 + bx_3] + eU$$

In matrix expression, equation (1) is:

$$(2) \quad \begin{bmatrix} \dot{x}_1 \\ \dot{x}_2 \\ \dot{x}_3 \end{bmatrix} = \begin{bmatrix} 0 & 1 & 0 \\ 0 & 0 & 1 \\ -\frac{d}{a} & -\frac{c}{a} & -\frac{b}{a} \end{bmatrix} \begin{bmatrix} x_1 \\ x_2 \\ x_3 \end{bmatrix} + \begin{bmatrix} 0 \\ 0 \\ e \end{bmatrix} U$$

We define a desired value, which is known in each state. In that sense, the researcher defines a value for x_{1D}; x_{2D}; x_{3D}; such that there will be a difference between the desired value and the value predicted by the system, that we call error:

$$(3) \; \check{x}_1 = x_{1D} - x_1$$

And similar for x_2 and x_3. If we derive each error expression one time, we will have (2) but in function of the error. In that way, the *vector of errors* will be the one formed by errors defined as in (3).

The *desired state* can or not be constant, since it's a set of derivatives. In that way, the control problem is to make state x achieve (or follow) a desired state, which could be variant in time, even in presence of model's imprecisions.

Existence of the Sliding Mode

Let's consider an autonomous system expressed as:

$$(4) \; \dot{x}_1 = f_i(t, x_1, x_2, \dots, x_n) \quad i = 1, 2, \dots, n$$

Where the functions f_i are defined in the domain of the state-space, and can be considered mathematically as discontinue functions. It can be assumed that these functions are piecewise functions and that they present a discontinuity over the surface S defined as:

$$(5) \; S(x_1, x_2, \dots, x_n) = 0$$

If we name the state-space as H, then the surface will divide it into two regions, H^+ for $S > 0$ and H^- for $S < 0$; then in a neighborhood of S, the functions f_i will be f_i^+ and f_i^-, defined in H^- and H^+ respectively, while f_N^+ and f_i^- are the respective projections over the Normal N to the surface. (figure 1)

Figure 1. *State Space (3 dimensions) and Sliding Surface (2 dimensions)*

Own source

If Filippov conditions are fulfilled, the surface will be an attractor; in that case:

$$f_N^+ < 0 \Rightarrow \dot{S} < 0$$

$$f_N^- > 0 \Rightarrow \dot{S} > 0$$

Those conditions assure that the surface will be an attractor and over it, the *sliding regime or mode* will be produced.

If the system in (1) is expressed like a controlled system *x=f(t,x,u)*, where *signal u* is discontinuous and has the form:

$$u = \begin{cases} u^+(t,x) & \text{for } S(x) > 0 \\ u^-(t,x) & \text{for } S(x) < 0 \end{cases} \qquad u^+ \neq u^-$$

Then we can extend the previous analysis for an autonomous system, to a controlled one, so therefore: a *sliding regime* will happen over $S(x) = 0$, if the projections of the vectors $f^+ = f(t,x,u^+)$ and $f^-(t,x,u^-)$ over the gradient of the surface S, are opposed signs and are directed towards the surface. Analytically:

$$\underset{S \to 0+}{Lim}\, \dot{S} < 0 \quad \text{and} \quad \underset{S \to 0-}{Lim}\, \dot{S} > 0$$

Example: Let's consider a system of two state variables. The perturbation is modeled as a function $F_p = a\sin(wt)$. The model in state variables is:

$$\begin{bmatrix} \dot{x}_1 \\ \dot{x}_2 \end{bmatrix} = \begin{bmatrix} 0 & 1 \\ -K_1 & -K2 \end{bmatrix} \begin{bmatrix} x_1 \\ x_2 \end{bmatrix} + \begin{bmatrix} 0 \\ K_3 \end{bmatrix} u + \begin{bmatrix} 0 \\ 1 \end{bmatrix} F_p$$

and then a *Sliding Surface* can be defined:

$S(t) = x_2(t) + c_1 \cdot x_1(t) = 0$ where c_1 is a design constant.

As we said before, this sliding surface must behave as an "attractor" and will be a line in the phase plane by which the states of the system will "slide" towards origin.

The abovementioned will be fulfilled if the Liapunov function: $L = \frac{1}{2}S^2$ is defined.

The signal in we are interested (error in the output variable) can be observed with and without control in the figure 2 a) and so the control signal applies, in b). When the control is applied, the output (the error) is zero, while when no control is applied, the output begins to be affected by the disturbance.

Figure 2. *a) Output of a Mechanical System with and without Control, at Different Frequencies b) Control Signal Applied*

Own source

The presence of *chattering* is undesirable in the practice, because it involves very high frequency oscillations that can excite non modeled dynamics. Then in that case, is required to *smooth* the discontinuous control signal to achieve an engagement between the signal tolerated by the real physical elements and the required precision.

In a Macroeconomic model, where sample time frequency could be hourly, daily and higher (not milliseconds, like in Engineering), this can be solved more easily. Chattering can be eliminated or reduced a lot, with a boundary layer.

The control in SM will be robust because the dynamic of the system is generated by the surface and because it doesn't depend on any parameter of the system. Nevertheless, for maintaining the trajectory of the states on the sliding surface, it will be necessary to change the control law each time that the trajectory cuts the surface. In an ideal SM, this control action will be generated with a high infinite frequency. Because of the *hysteresis,* lags and inertia of the

systems in real world, this frequency is finite and can excite non-modelled dynamics of the system (*chattering*).[1]

The Economic Model

The main objectives of monetary policy are price stability, jobs creation and economic growth. These objectives are subject of a wide academic debate, between supporters of neutrality and non-neutrality of money. In this work, we don't enter into this discussion about the objectives of monetary policy and the mechanisms of prices formation; instead of that, we take a simple hypothesis as a starting point, which could be of simple translation into a mathematical expression; with that, we will try to proof the reality of that hypothesis by means of SM simulation.

Our selected model is an augmented Phillips curve, in the way of a model of 3 differential equations, which tries to explain the dynamic of the rate of inflation. This model is about the trade-off between inflation and unemployment, and is enough simple to be a starting point for experimenting the use of SM models in Macroeconomics.

Friedman's hypothesis says that if an inflationary trend has an extended effect, because people tends to form certain expectations about inflation, that they will try to incorporate into their salaries. In that way, salaries are an increasing function of inflation. In another hand, Mc. Callum and Nelson (2010) pointed out the importance of re-taking the role of money emission in monetary models.

In our economy there are just only two markets: labor market and money market. [2] If the rate of inflation is a function of unemployment rate and expectations:

(6) $\pi_{(t)} = \alpha - \beta U_{(t)} + h E_{(t-1)} \pi_{(t)}; \quad$ with $\alpha, \beta > 0$

Where: π: rate of inflation, calculated on level of prices. U: unemployment rate (net of productivity effect); $E_{t-1}\pi$: expected level of inflation (Friedman, 1968). (6) is the Phillips' curve.

If we think about inflation's expectations as adaptive (Cagan, 1954), we can write:

(7) $\frac{dE_{(t-1)}\pi_{(t)}}{dt} = j\left(\pi_{(t)} - E_{(t-1)}\pi_{(t)}\right); \quad$ with $0 < j < 1$

For the unemployment dynamic behavior:

(8) $\frac{dU}{dt} = -k(M - \pi_{(t)}); \quad$ with $k > 0$

---

[1] For more advanced texts in SM methodology, consult Sira Ramirez & Llanes Santiago (1994); Slotine and Weipig (1991) and Utkin (1992).
[2] The model was taken from Alpha Chiang (2005), slightly modified and solved by the authors of this paper. Also, its discrete form had to be translated into continuous time for using SM.

Where: M: rate of growth of nominal money. Then, right side of (8) is real money growth, multiplied by a constant. This equation specifies a negative relationship between unemployment variation and real money growth. At the same time, the system shows the feedback between inflation and unemployment.

Then, our model of three endogenous variables $\pi, E_{t-1}\pi, U$, is defined by (6), (7) and (8).

We solve the system for π, keeping M as the control variable, for getting the following ordinary differential equation:

(9) $\dfrac{d2\pi}{dt2} = [\beta ka + hj - \beta k - j]\dfrac{d\pi}{dt} - (j\beta k)\pi + j\beta kM$

In an equivalent way:

(9`) $\ddot{\pi} = k_2\dot{\pi} + k_1\pi + k_3 M$

Where the stability of the system needs k_2 and k_1 negative. From the analysis of the roots of the characteristic equation, we conclude that the system is stable. In (9) and (9'), the variable to be controlled is the rate of inflation and the control signal variable (the one that SM manipulates for controlling π) is nominal money (like in quantitative theory).

Now that we have our economic model, let's work in the input-output or control model. We transform the previous system into a state-variables one, defining:

(10) $x_{1(t)} = \pi_{(t)}; \; x_{2(t)} = \dot{\pi}_t; \; u_{(t)} = M_{(t)}$

We are interested in controlling $\pi_{(t)}$ by means of the manipulation of $M_{(t)}$; or $x_{1(t)}$ and $u_{(t)}$, respectively. Equation (1) can be written as:

(11) $\dot{x}_{2(t)} + a_1 x_{2(t)} + a_2 x_{1(t)} = b.u_t$

Where u is the control signal. If we solve for $\dot{x}_{2(t)}$ in matrix expression:

$\left[\dot{x}_{2(t)} = -a_1.x_{2(t)} - a_2.x_{1(t)} + b.u_{(t)}\right]$

Finally, the model in state-space results:

$\begin{pmatrix} \dot{x}_{1(t)} \\ \dot{x}_{2(t)} \end{pmatrix} = \begin{pmatrix} 0 & 1 \\ -a_2 & -a_1 \end{pmatrix} * \begin{pmatrix} x_1 \\ x_2 \end{pmatrix} + \begin{pmatrix} 0 \\ b \end{pmatrix} * u_t$

The expressions for the model in state-space plus the output of the system is:

$$\left[\begin{array}{c}\dot{x}\end{array}\right]=[A][x]+[B]u$$
$$[y]=[C][x]$$

Where *A* is a matrix while *B* and *C* will be vectors. The first equation is the *state-equation* and contains the dynamic of the system, while the second one is the *output equation*. This model has not a perturbation still, which will be included in the simulation step, and could be added to the state-variables or to the output variable. In our simulation, we included one perturbation to the state space equation. $\dot{x}$ is equals to the sum of $A.x + B.u$; by integrating that, *x* is obtained, and by multiplying it by *C*, appears the output *y*.

Again, nominal money is the input of the system and rate of inflation is the output. In another hand, SM is the controller and manipulates *M* for controlling π. Hereafter, we will call "control signal" to the variable that SM uses as controller, that is, *M*.

**Econometric Estimation of Parameters and Simulation in SM**

Econometric Estimation

Next step is to give values to the parameters or constants of our Economic model. For that, we will run an econometric estimation, based on data of a Latin American country. But for a first experiment, we need data from a relative stable period and economy. Because of their macroeconomic performance in the last decade, possible candidates are Brazil, Uruguay and Chile. Finally, Chile is selected. The estimation will have annual frequency, that is, the estimated values will describe a long-run relationship.

For the expected rate of inflation, there were a few alternatives to calculate a proxy variable, since there is no measurement of it. First alternative is a survey of Central Bank of Chile, but it takes the expectations of just only business men and academics which are a small part of the population. For similar reasons, the inflation compensation from financial market was also discard. Finally, we calculated a proxy, based in a moving average of eight monthly lags, taking in account seasonality. The proxy is stationary and explains 67% of the actual inflation. The first derivative of this proxy follows Cagan's adaptive expectations described by equation (7)[3].

---

[3] The first derivative was approximated to discrete expression by taking first differences of the variable.

Figure 3. *Inflation and Expected Inflation. Chile, Annual, 1985-2009*

Based on CEPAL

A first simple graphical analysis of correlation between π and M suggests a non-linear correlation between both (figure 4 a). Figure 4 b) explores Phillips' curve shape. Following Friedman, in the short-run, its slope is negative, while in the long-run, a vertical curve could appear and even a positive slope. In figure 4 b), there is not a clear relationship, if exists one.

Figure 4. *Chile, annual, 1985-2009, based on CEPAL. a) Relationship between π and M. b) Phillip's Curve*

Now we estimate the parameters for the model presented in (6), (7) and (8). As vector autoregression models assumes all variables and certain amount of lags as endogenous, we use Seemingly Unrelated regression (SUR), which accounts for autocorrelation in the disturbances. Another reason to choose this technique, is to introduce the less possible assumptions in the Econometric stage, so that the simulation could be kept free of specification errors as much as possible. The estimation surpassed tests of autocorrelation and heteroscedasticity. Instrumental variables in two stage least squares were also tried, which did not show so much difference in the estimated values. Which is more important, the signs and range of the variables behaved as expected.

In the next table, estimated parameters for the long-run are shown, as much as their significance levels.

Table 1. *Estimation of Parameters by SUR*

| *Number of equation*	*Parameter*	*Estimated value*
(6)	α	14.45
	β	0.35
	h	0.69
(7)	j	0.06
(8)	k	0.13

(a) All the estimated coefficients are significant at 5 and 10%, except for j. (b) Some variables needed to be stationarized. (c) The residuals of the system have no autocorrelation according to Portmanteaut test

Simulation in SM

As next step and for finding the ordinary differential equation that summarizes the dynamic of the whole system, we assumed that $\dot{M} = a.\dot{\pi}$, where *a* is a constant of proportionality positive and less than 1.[4]

a) <u>First step and trial</u>: we assign the value 1 to M, and we watch what happens with the output without using SM. This step is just only for verifying the stability of the system. (Figure 5)

Figure 5. *Block Diagram for Step 1*

Own source

b) <u>Second step</u>: given that in step 1 we got a good behavior, we manipulate with SM. For doing so, the system was perturbed with a white noise signal, which at the same time allows proving the robustness of the mathematical model. Really, what we want is to make zero the error between the desired value of pi, and the real value. We chose a desired value to pi (2%.). This time, SM calculates the value for *M*, necessary for making the error zero. It will take a certain amount of time for this to happen, the curve oscillates around zero and gets stabilized after 5 periods. Sliding modes and the control variable *M,* conduct the path of pi to make the error zero.
The white noise disturbance and *M* enter to the ordinary differential equation at the same time (figure 6).

[4] The estimated value for *a* with the mentioned data, is 0.92.

Figure 6. *Block Diagram for the 2nd Step*

Own source

The output of the system π can be controlled. In figure 7, we show how the error (the difference between the desired and the real π) tends to zero before the time unit 5 (the reader should note that the oscillations in Y axis's scale are very close to zero, except in the beginning up to period 3. In each period, this difference is corrected by SM, by means of modifying M, for getting an error equals to zero. And that's the reason of the name of the model: the system "slides" on the surface till the origin (zero). So whatever the value we assign to desired π, SM will try to make error equals zero. [5]

Figure 7. *Error on Variable π (Pi desired minus Real Pi)*

---

[5] The simulation added a technique called "boundary layer". The explanation of this methodology exceeds the objective of the present paper. But the reader can consult the more advanced texts on SM cited in Part I. The boundary layer is used for making the impact of *M* smoother.

The oscillations occur because the characteristic equation of (9) has complex conjugated roots. But they tend to zero over time (X scale are annual frequency).

In the error graph, what will be important for us is the maximum and minimum values taken by the variable. They must tend to zero; in that way, the input is efficient for getting a desired value of the output. In the first period, of course, the error will not be zero.

Let's now watch the behavior of *M* (figure 8). We can see that the manipulation that we have done of M is not extreme, and like error in π, oscillates around zero. The economic interpretation of the latter is: the system departs from repose; SM injects movement, that is, changes the rate of growth of money, and taking account of all the other variables and relationships that we have designed, is able to conduct π to the desired value, touching and crossing surface S, in another words, *sliding* over it.

As we have said before, the disturbance is a white noise type. This disturbance enters all the time to the system, that is, in all the periods. Nevertheless, the system is robust. For a future research and simulation, the disturbance could be different for each equation (here is one disturbance for the system) or could be a disturbance which does not enter in a permanent way but in some periods and not in others.

Graph in Annex shows in a comparative way the trajectories of the error in π, *M*, the error for $\dot{\pi}$ and the trajectory of the state variable on the surface *S*.

Figure 8. *Manipulation of M*

Discussion of Results and Conclusions

The monetary model of 3 equations could be represented as a control SM model with boundary layer. With π as the controlled variable and M as the

control signal, the model is stable. In any system stable in all its versions, modeled by SM, the version that should be selected is the one that is applicable from the point of view of the control signal; in our case, M must be applicable. In other words, and according to its scale, M should be able to be introduced without abrupt oscillations. The output of the system results a controlled one. U and $E_{t-1}\pi$ could not be control signals from the point of view of Economic theory: they are not controllers or manipulators in the real world.

We can use the output that we obtained as an empirical laboratory for testing theoretical hypothesis, like Friedman's corollary: if an inflationary trend has an extended effect, workers will tend to create expectations about the rate of inflation that they will later try to incorporate into their salaries. Then, salaries are an increasing function of inflation. The sign of the relationship between inflation and employment depends on the frequency of the observations (short or long-run) and of the variables involved in an augmented Phillips' curve. The negative relationship is likely to arise in the short run, while in the long-run, a vertical curve could be expected an even a positive slope. In the long run, workers and employers will take into account the rate of inflation in the moment of negotiating the value of salaries and this can push both variables in the same direction.

The previous observation will also depend on the magnitude of the rate of inflation (including also expected inflation) and the unemployment level pointed out by the market. With high rates of unemployment, this variable will be more inelastic to changes in salaries. In the case of our sample of thirty annual observations, the first 10 years show unemployment rates above 9% and inflation rates above 15% (values a bit higher than expected for a healthy stable economy, but still valid for our experiment).

In this research, the data pertains to long-run term. The graphical correlation shows no clear relationship between inflation and unemployment; when we define a system in which we add more variables from both markets, labor and money ones, the Econometrics tell us that the slope of augmented Phillips' curve is negative. And if we use this information to model the system as a SM, then SM confirms the Econometrics, not only in signs, also in relation to the functions that interlace the variables. Why? Because if we can get a stable output for a dynamic system, it means that our model represents the multiple local equilibriums curve that defines the path of rate of inflation, in its dynamic. Real life shows us a path for the variable of interest (rate of inflation) with multiple equilibriums along it, in time. We introduce this design in SM and SM gives a controlled output, using money as a control signal. If the output variable can be controlled, is because the model represents in an acceptable way the dynamic of the rate of inflation, given the variables that were taken besides the output one. According to Nelson and Mc Callum, money matters: this hypothesis is also confirmed by SM.

Off course, a variable like interest rate should be considered. Effects of every variable that has not been considered in this simple model, is absorbed by the others that has been included. This happens in every econometric model. Again, for making a first trial of SM, a very simple model has to be taken.

The SM simulation, with values as the ones estimated for Chile, confirms a negative slope in the long run for the augmented Phillips' curve; a positive effect of injection of money on rate of inflation and also implies that salaries are an increasing function of inflation.

Finally, SM reveals itself as a valid empirical alternative for testing macroeconomic hypothesis and theories. A future step would be to try this model as a laboratory for calibrating economic policies. This preliminary research that we have presented here aimed to be a first step for the future use of this model in our discipline.

Annex. *Comparative Graphs of the Simulation: Error in pi, M, 1ˢᵗ Derivative of pi and Sliding Surface*

References

CEPAL (2015): "Cepalstat". Base de datos estadísticos. http://www.cepal.org/en/datos-y-estadisticas.

Cirera, E.; Bravo, G.; (2007): "Aislamiento activo de vibraciones de un manipulador mediante control de estructura variable. I: determinación de las leyes de control". *8° Congreso Iberoamericano de Ingeniería Mecánica*. Federación Iberoamericana de Ingeniería Mecánica, Cusco, Perú, 2007.

Cirera, E.; (2000): "Control de estructura variable: eliminación del chattering". *Arandú*, *Revista de divulgación de la Facultad de Ingeniería de la UNNE*. Número 6, Año 2, Argentina.

Cirera, E.; LLanes-Santiago, O. (1999): "Control por RDM para aislamiento Activo de Vibraciones". *International Conference Science and Technology for Development*, CIMAF´99, La Habana, Cuba.

Chiang, A. (1984). *Fundamental methods of mathematical economics* 4rd ed. New York: McGraw-Hill, 1984.

Fisher, I. (1926): "A Statistical Relation between Unemployment and Price Changes". *International Labour Review*, USA.

Fisher, M. and Seater, J. (1993): "Long-Run Neutrality and Superneutrality in an ARIMA Framework". *The American Economic Review*. Vol. 83, nº 3. USA.

Friedman, Milton (1968): "The Role of Monetary Policy." *The American Economic Review*, vol. LVIII, 1-17. USA.

Fuentes S. y Garcia T. (2014): "Una Mirada desagregada al deterioro de la productividad en Chile: Existe un cambio estructural? *Revista de Economia Chilena*, vol. 17 n. 1, 4-37. Banco Central de Chile.

Kydland, F.; Prescott, C. (1977):"Rules Rather Than Discretion: The Inconsistency of Optimal Plans". *Journal of Political Economy* 85(3), pp 473-491, USA.

Lipsey, R. G. (1960); "The relationship between Unemployement and the Rate of Change in Money Wages in the United Kingdom 1862-1957: A further Analysis". *Economica* 27, pp 1-31, USA.

Liu, J.; Wang, X.(2012): "*Advanced Sliding Mode Control for Mechanical Systems. Design, Analysis and MATLAB Simulation*". Springer, Berlin.

Martínez, C. (2012); "Un análisis del aporte de estimadores GMM en Sistemas y diferencias a la estimación de ecuaciones dinámicas en Economía". *Cuadernos del CIMBAGE* No 15, pp.19–31, Buenos Aires.

Martínez, C.; Landro, A. (2013); "Metodologías Paramétricas y no Paramétricas para desestacionalización de Series de Tiempo". *XIII Jornadas Nacionales de Tecnología Aplicada a la Educación Matemática Universitaria,* Argentina.

Martínez, C.; Cirera, E. (2014); "Modos deslizantes aplicados a un sistema macroeconómico". *Seminario de Econometría y Estadística*, FCE de la Universidad de Buenos Aires.

Mc. Callum, B. and Nelson, E. (2010): "Money and Inflation: Some Critical Issues." *Finance and Economic Discussion Series, Board of Governors of the Federal Reserve System.* USA.

Sira Ramírez, H.; Llanes Santiago, O. (1994): "Dynamical discontinuous feedback strategies in the regulation of nonlinear chemical processes". *IEEE Transactions on Control Systems Technology* – Vol 2 Nº 1 – March 1994. pp 11-21.

Sira-Ramírez, H. (1989); "A geometric approach to PWM control in nonlinear dynamical systems". *IEEE Transactions on Automatic Control*. Vol 34 Nº 2, pp184-187.

Sira-Ramírez, H.; Spurgeon, S. K. (1996); "Robust sliding mode control using measured outputs*". Journal of Mathematical Systems, Estimation and Control,* Vol 6 Nº 3, pp 1-13, 1996.

Slotine, J. J.; Weipig, L. (1991): *Applied nonlinear control*". Prentice Hall International, Inc. – New Jersey, USA.

Urbisaia, H.; Brufman, J.; Martínez, C.; Rodríguez, E. (2007). "La modelización VAR aplicada a un problema de economía monetaria". *XXII Jornadas Nacionales de Docentes de Matemática de Facultades de Ciencias. Economicas y afines.* Argentina.

Utkin, V. I. (1992): *Sliding Modes in control and optimization*. Springer Verlag – New York.

Walsh, C. (2010): *Monetary Theory and Policy*. The MIT Press, Cambridge, Massachusets.